



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/071,376	02/08/2002	Nian hua Ou	01-450	1739
<div>7590 05/29/2007</div> <div>David Mitchell Goodrich, Esq. J.M. Huber Corporation 333 Thornall Street Edison, NJ 08837-2220</div>				
			EXAMINER STERLING, AMY JO	
			ART UNIT 3632	PAPER NUMBER
			MAIL DATE 05/29/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10071376	2/8/02	OU ET AL.	01-450

David Mitchell Goodrich, Esq.
J.M. Huber Corporation
333 Thornall Street
Edison, NJ 08837-2220

EXAMINER

Amy J. . Sterling

ART UNIT	PAPER
----------	-------

3632

20070524

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Claim 2 correction:

The claim should be changed to read "component is about 0.3 cm to about 1.3 cm." See Amended claim attached.

Clarification of Examiner's answer rejection:

An amendment dated 10/14/2006 does not appear in the record. It is assumed that the Order intended to say the amendment dated 10/14/2005. This amendment was entered and therefore, claim 9 is not rejected under 35 USC 103(a), but cancelled.

Amy J. Sterling
5/24/07

DETAILED ACTION

This is the first Office Action for application number 10/071,376, Laminated Wood Piece and Door Containing the Same, filed on 2/8/02. This correspondence is in regards to the Order Returning the Appeal to Examiner dated 5/22/07 for clarification on claims 2 and 9. No response is necessary to this letter. The Appeal will be re-docketed to the Board of Appeals by the Examiner.

For purposes of Appeal, the following Clarifications have been made in this case:

With regards to claim 2, in the claims appendix of the Appeal Brief filed 9/29/06 the claim is recited as:

"...component is about 0.3 cm to about 1.3."

It has been corrected to be recited as:

"...component is about 0.3cm to about 1.3 cm."

With regards to claim 9, in the Examiner's Answer filed 11/27/06 the claim has been rejected under 35 USC 103(a).


It has been corrected according to an entered amendment dated 10/14/05:

Claim 9 is cancelled.

Conclusion

Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The examiner can normally be reached (Mon-Fri 8am-5:00pm). The fax machine number for the Technology center is 571-273-8300 (formal amendments), informal amendments or communications 571-273-6823. Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at 571-272-3600.

Amy J. Sterling
5/24/07


AMY J. STERLING
PRIMARY EXAMINER
TECHNOLOGY CENTER 3600

Corrected Claim 2

Claim 2. The laminated wood piece according to claim 1, wherein the thickness of the solid hardwood component is about 0.3 cm to about 1.3 cm.